

www.ride-gears.com

**RiDE**<sup>™</sup>  
GEARS

**RiDE**<sup>™</sup>  
GEARS

Corporate Office No: 608, Building-4EA, Dubai Airport Free Zone.  
Email: info@ride-gears.com

**MOTORCYCLE BATTERIES**

**PRODUCT CATALOGUE**

## ABOUT US

### Our Vision

To spread the smile of satisfaction among customers, partners & stakeholders as a pan-global comprehensive spare parts solution provider.

### Who are we?

With many years of experience in the spare parts business, our team is dedicated to delivering quality products to our valued customers. We are also driven by the passion to deliver value for our customers, partners and stakeholders. Our team is committed to delivering the Right parts at the Right time at the Right quantity and price! Your smiles are a testament of our efforts and commitment to your success!

### What do we do?

Embracing continuous improvement as our guiding pillar, we relentlessly refine our processes, products and service to achieve efficiency and effectiveness. We strive to deliver spare parts that are durable and best in its class.

## MISSION

To render the 5VX experience that ensures the best possible service, high quality products for your spare parts needs.

## VALUE

We offer quality products at affordable prices.

## VARIETY

We strive to carry a wide range of products for a variety of vehicle brands.

## VISIBILITY

We are transparent with our prices and there are no hidden charges. We also strive to provide full visibility of your shipment status.

## VELOCITY

We strive to bring you need-based solutions in the shortest time possible.

## VERACITY

We have a dedicated team to work hand-in-hand with you to understand your needs and deliver the most reliable service.



## Ride Gears Motorcycle Battery comes in 4 versions:

1. Dry-Charge (Lead Acid Battery – Traditional Batteries)
2. Maintenance Free (Lead Acid Battery)
3. Sealed Maintenance Free (No acid top up required)
4. Gel (Silica compound inside, no acid required)

Ride Gears battery is manufactured in a factory dedicated to battery production. With our commitment to reliability and quality, it is one of our top offerings with an extensive range.

## DRY CHARGE

Ride Gears Dry Charged battery have higher cranking power / performance than conventional batteries. Although acid filling is required to activate the battery, any water loss can be replenished.

Model	Capacity	Dimension (MM)
6N6-3B	6V5Ah	98*57*108
6N11-3A	6V11Ah	121*58*128
12N2.5 L C / YB2.5L-C	12V2.0Ah	80*70*104
12N3-3A / YB3L-A	12V2.5Ah	98*57*109
12N4-3B	12V4Ah	120*70*93
12N5-3B	12V5Ah	120*60*130
12N6-3B	12V5Ah	135*70*95
12N6.5-3B	12V6Ah	138*67*100
12N7-3A/3B/4A	12V7Ah	135*75*134
12N7B-3A/12N7A-3A	12V7Ah	150*60*130
12N7C-3A	12V7Ah	150*85*95
12N9-4B	12V7Ah	136*76*139
12N10-3B	12V10Ah	135*91*145
12N12A-4A	12V12Ah	134*81*160
12N14-3A	12V14Ah	133*89*163
12N16-3B	12V16Ah	175*100*155
12N18	12V16Ah	185*125*160
12N28	12V23Ah	185*125*160



## MAINTENANCE FREE

Ride Gears Maintenance Free battery is robust and resistant to vibration. With a service life longer than conventional batteries, you can be sure of a superior starting performance.

Model	Capacity	Dimension (MM)
YTX3L-BS	12V3Ah	98*57*109
YTX4L-BS	12V3Ah	114*71*87
YTX5L-BS	12V4Ah	114*71*106
YTX5AL-BS	12V5Ah	120*61*128
YTX6.5-BS	12V5.5Ah	136*66*100
YTX7A-BS	12V6Ah	150*87*95
YTX7L-BS	12V6Ah	114*71*130
YTX7DL-BS	12V7Ah	150*61*130
YTX9A-BS	12V7Ah	135*75*132
YTX9-BS	12V8Ah	150*87*103
YTX12-BS	12V10Ah	150*87*130
YTX14-BS	12V12Ah	150*87*147
YTX16-BS	12V14Ah	150*87*162
YTX20-BS	12V18Ah	175*87*155
YTX30-BS	12V28Ah	167*127*174
6-QA-32	12V30Ah	195*128*171*195
6-QA-36	12V32Ah	185*128*202*224





## SEALED MAINTENANCE FREE

With a longer shelf life, higher cranking performance and a sub-gel construction that is resistant to vibration, Ride Gears SMF battery operations in all positions and can be installed immediately!

Model	Capacity	Dimension (MM)
6MF2.5L	12V2.5Ah	80*70*104
6MF3L	12V2.5Ah	98*56*109
6MF4L	12V3.5Ah	113*69*88
6MF5L	12V4.5Ah	113*69*104
6MF5L	12V5Ah	113*69*104
6MF5AL	12V4.5Ah	120*61*130
6MF5AL	12V5Ah	120*61*130
6MF6.5L	12V5Ah	137*66*101
6MF6.5L	12V6Ah	137*66*101
6MF6.5L	12V6.5Ah	137*66*101
6MF7L	12V6Ah	113*69*132
6MF7L	12V7Ah	113*69*132
6MF7A	12V6Ah	150*85*93
6MF7A	12V7Ah	150*85*93
6MF7DL	12V6Ah	148*60*130
6MF7DL	12V7Ah	148*60*130
6MF7E	12V6Ah	137*77*123
6MF7E	12V7Ah	137*77*123
6MF9A	12V7Ah	137*75*135
6MF9A	12V9Ah	137*75*135
6MF9	12V7Ah	150*85*108
6MF9	12V8.5Ah	150*85*108
6MF9	12V10Ah	150*85*108
6MF12	12V12Ah	150*85*130
6MF14	12V14Ah	150*85*145
6MF20	12V20Ah	177*87*155



6QW18	12V15Ah	185*125*160*173
6QW18	12V18Ah	185*125*160*173
6QW18	12V21Ah	185*125*160*173
6QW36	12V27Ah	195*128**202*223
6QW36	12V32Ah	195*128**202*223

## GEL

Ride Gears' Gel battery delivers very good cranking performance, is resistant to vibration and has a longer shelf life. Choose Ride Gears today!

Model	Capacity	Dimension (MM)
6MG2.5L	12V2.5Ah	80*70*104
6MG3L	12V2.5Ah	98*56*109
6MG4L	12V3.5Ah	113*69*88
6MG5L	12V4.5Ah	113*69*104
6MG5L	12V5Ah	113*69*104
6MG5AL	12V4.5Ah	120*61*130
6MG5AL	12V5Ah	120*61*130
6MG6.5L	12V5Ah	137*66*101
6MG6.5L	12V6Ah	137*66*101
6MG6.5L	12V6.5Ah	137*66*101
6MG7L	12V6Ah	113*69*132
6MG7L	12V7Ah	113*69*132
6MG7A	12V6Ah	150*85*93
6MG7A	12V7Ah	150*85*93
6MG7DL	12V6Ah	148*60*130
6MG7DL	12V7Ah	148*60*130
6MG9A	12V7.5Ah	137*75*135
6MG9A	12V9Ah	137*75*135
6MG7E	12V7Ah	137*77*123
6MG7E	12V6Ah	137*77*123
6MG9	12V8.5Ah	150*85*108
6MG9	12V10Ah	150*85*108



**RIDE**  
GEARS

**Power up with Ride Gears today!**